




HYDROSHOP

www.hydroshop.ee ESTONIA

Wiper seal type PW

d 4 – 200 mm

Type PW
Wiper seal of polyurethane with an axial static sealing edge at the front edge of the wiper body.



Dimensions					Designation				
d	D	L	L ₁	D ₁					
mm					–				
4	12	3	1	9	CR PW 4×12×3				
5	12	2,8	1	9	CR PW 5×12×2,8				
6	12	3	1	9	CR PW 6×12×3				
8	14,6	3,8	1	9	CR PW 8×14.6×3.8				
10	16,6	3,8	1	13,8	CR PW 10×16.6×3.8				
12	18,6	3,8	2	15	CR PW 12×18.6×3.8				
14	20,6	3,8	2	17	CR PW 14×20.6×3.8				
15	21,6	3,8	2	18	CR PW 15×21.6×3.8				
16	22,5 22,6	3 3,8	2 2	19 19	CR PW 16×22.5×3 CR PW 16×22.6×3.8				
18	24,6	3,8	2	21	CR PW 18×24.6×3.8				
20	26 28,6	3,4 5,3	2 2	23 23	CR PW 20×26×3.4 CR PW 20×28.6×5.3				
22	30,6 30,6	2,2 5,3	2 2	25 25	CR PW 22×30.6×2.2 CR PW 22×30.6×5.3				
24	32,6 32,6	5,3 2,2	2 2	27 27	CR PW 24×32.6×5.3 CR PW 24×32.6×2.2				
25	33,6	5,3	2	28	CR PW 25×33.6×5.3				
28	36,6	5,3	2	31	CR PW 28×36.6×5.3				
30	38,6 40	5,3 3	2 2	33 34,5	CR PW 30×38.6×5.3 CR PW 30×40×3				
32	40 40,6	3,7 5,3	2 2	35 35	CR PW 32×40×3.7 CR PW 32×40.6×5.3				
35	43,6 43,6 45	5,3 5,3 4	2 2 2	38 38 39	CR PW 35×43.6×5 CR PW 35×43.6×5.3 CR PW 35×45×4				
36	44,6	5,3	2	39	CR PW 36×44.6×5.3				
38	46,6 48,5	5,3 4,8	2 2	41 41	CR PW 38×46.6×5.3 CR PW 38×48.5×4.8				
40	48,6	5,3	2	43	CR PW 40×48.6×5.3				
42	50,6	5,3	2	45	CR PW 42×50.6×5.3				
45	53,6 55,6 60	5,3 5,3 4,2	2 2 3	48 48 53	CR PW 45×53.6×5.3 CR PW 45×55.6×5.3 CR PW 45×60×4.2				
46	54,6	5,3	3	49	CR PW 46×54.6×5.3				
50	58,6 60,6 65,5	5,3 5,3 4,2	3 3 3	53 53 58	CR PW 50×58.6×5.3 CR PW 50×60.6×5.3 CR PW 50×65.5×4.2				
53	61,6	5,3	3	56	CR PW 53×61.6×5.3				
55	63,6 65,6	5,3 5,3	3 3	58 58	CR PW 55×63.6×5.3 CR PW 55×65.6×5.3				
56	64,6 66,6	5,3 5,3	3 3	59 59	CR PW 56×64.6×5.3 CR PW 56×66.6×5.3				
60	68,6 70,6	5,3 5,5	3 3	63 66,5	CR PW 60×68.6×5.3 CR PW 60×70.6×5.5				
63	71,6 73,6	5,3 5,3	3 3	66 66	CR PW 63×71.6×5.3 CR PW 63×73.6×5.3				
65	73,6 76,6	5,3 6	3 3	68 71,5	CR PW 65×73.6×5.3 CR PW 65×76.6×6				
67	76,6	5,5	3	71	CR PW 67×76.6×5.5				



HYDROSHOP

www.hydroshop.ee ESTONIA

Dimensions						Designation
d	D	L	L ₁	D ₁		
mm						-
70	78,6 82,6	5,3 7,1	3 3	73 76		CR PW 70×78.6×5.3 CR PW 70×82.6×7.1
73	81,6 83,6	5,3 7,3	3 3	76 76		CR PW 73×81.6×5.3 CR PW 73×83.6×7.3
75	83,6 87,2	5,3 7,1	3 3	78 81		CR PW 75×83.6×5.3 CR PW 75×87.2×7.1
78	86 88,6 92,2	5 5,5 7,1	3 3 3	81 84,5 85		CR PW 78×86×5 CR PW 78×88.6×5.5 CR PW 78×92.2×7.1
80	88,6 92,6	5,3 7,1	3 3	83 86		CR PW 80×88.6×5.3 CR PW 80×92.6×7.1
85	93,6 97,2	5,3 7,1	3 3	88 91		CR PW 85×93.6×5.3 CR PW 85×97.2×7.1
90	102 102,2	6 7,1	3 3	94 96		CR PW 90×102×6 CR PW 90×102.2×7.1
92	103,6	5,5	3	97		CR PW 92×103.6×5.5
95	107,2	7,1	3	101		CR PW 95×107.2×7.1
97	105	5	3	100		CR PW 97×105×5
99	109,6	5,5	3	105,5		CR PW 99×109.6×5.5
100	112,2 112,2	6 7,1	3 3	104 106		CR PW 100×112.2×6 CR PW 100×112.2×7.1
105	117,2	7,1	3	111		CR PW 105×117.2×7.1
110	122,2	7,1	3	116		CR PW 110×122.2×7.1
112	124,2	7,1	3	118		CR PW 112×124.2×7.1
115	123,6 127,2	5,3 7,1	3 3	118 121		CR PW 115×123.6×5.3 CR PW 115×127.2×7.1
118	126	5	3	121		CR PW 118×126×5
120	130,6 132,2	5,5 7,1	3 3	126,5 126		CR PW 120×130.6×5.5 CR PW 120×132.2×7.1
125	137,2	7,1	3	131		CR PW 125×137.2×7.1
127	135,6	5,3	3	130		CR PW 127×135.6×5.3
130	142,2	7,1	3	136		CR PW 130×142.2×7.1
135	147,2	7,1	3	141		CR PW 135×147.2×7.1
140	148,6 152,2 155	6 7,1 9	3 3 3	143 146 147		CR PW 140×148.6×6 CR PW 140×152.2×7.1 CR PW 140×155×9
141	151,6	5,5	3	147,5		CR PW 141×151.6×5.5
143	151	5,5	3	147,5		CR PW 143×151×5.5
145	157,2	7,1	3	151		CR PW 145×157.2×7.1
150	162,2 165	7,1 7,5	3 3	156 156		CR PW 150×162.2×7.1 CR PW 150×165×7.5
160	175,2	10,1	3	168		CR PW 160×175.2×10.1
162	172,6	5,5	3	168		CR PW 162×172.6×5.5
170	178,6 185,2	5,3 10,1	3 3	173 178		CR PW 170×178.6×5.3 CR PW 170×185.2×10.1
180	195,2	10,1	3	188		CR PW 180×195.2×10.1
183	193,6	5,5	3	189		CR PW 183×193.6×5.5
190	205,2 210	10,1 10,1	3 3	198 200		CR PW 190×205.2×10.1 CR PW 190×210×10.1
200	215,2	10,1	3	208		CR PW 200×215.2×10.1



HYDROSHOP


www.hydroshop.ee ESTONIA

Wiper seal type PW

d 210 – 280 mm

Type PW

Wiper seal of polyurethane with an axial static sealing edge at the front edge of the wiper body.



Dimensions

Designation

d D L L₁ D₁

mm

d	D	L	L ₁	D ₁	Designation
210	225,2	10,1	3	218	CR PW 210×225.2×10.1
220	235,2	10,1	3	228	CR PW 220×235.2×10.1
230	245,2	10,1	3	238	CR PW 230×245.2×10.1
240	255,2	10,1	3	248	CR PW 240×255.2×10.1
250	265,2	10,1	3	258	CR PW 250×265.2×10.1
257	267,6	5,5	3	264	CR PW 257×267.6×5.5
280	300	10,2	3	290	CR PW 280×300×10.2